

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Cary Brooks on 1/11/10.

The application has been amended as follows:

Claim 22 is cancelled, since the subject matter was incorporated into claim 15.

Claim 43, line 8 is amended to read "to control communication between the pressure valve inlet and the flow valve inlet within the bore of the valve body". This amendment was made to include the subject matter that the examiner felt overcame the prior art of record and therefore put the claim into condition for allowance.

Claim 46, line 6 is amended to read "a pressure valve inlet communicable with the flow valve inlet in the bore of the". This amendment was made to include the subject matter that the examiner felt overcame the prior art of record and therefore put the claim into condition for allowance.

### ***Allowable Subject Matter***

2. Claims 15-21, 23, 24, and 28-56 are allowed.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CRAIG M. SCHNEIDER whose telephone number is (571)272-3607. The examiner can normally be reached on M-F 8:00 -4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robin Evans can be reached on (571) 272-4777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C. M. S./  
Examiner, Art Unit 3753  
January 11, 2010

/John Rivell/  
Primary Examiner, Art Unit 3753